

DEDALUS: Datalog in Time and Space

Peter Alvaro¹, William R. Marczak¹, Neil Conway¹,
Joseph M. Hellerstein¹, David Maier², and Russell Sears³

¹ University of California, Berkeley
{palvaro, wrm, nrc, hellerstein}@cs.berkeley.edu

² Portland State University
maier@cs.pdx.edu

³ Yahoo! Research
sears@yahoo-inc.com

Abstract. Recent research has explored using Datalog-based languages to express a distributed system as a set of logical invariants. Two properties of distributed systems proved difficult to model in Datalog. First, the state of any such system evolves with its execution. Second, deductions in these systems may be arbitrarily delayed, dropped, or reordered by the unreliable network links they must traverse. Previous efforts addressed the former by extending Datalog to include updates, key constraints, persistence and events, and the latter by assuming ordered and reliable delivery while ignoring delay. These details have a semantics outside Datalog, which increases the complexity of the language and its interpretation, and forces programmers to think operationally. We argue that the missing component from these previous languages is a notion of *time*.

In this paper we present **DEDALUS**, a foundation language for programming and reasoning about distributed systems. **DEDALUS** reduces to a subset of Datalog with negation, aggregate functions, successor and choice, and adds an explicit notion of logical time to the language. We show that **DEDALUS** provides a declarative foundation for the two signature features of distributed systems: mutable state, and asynchronous processing and communication. Given these two features, we address two important properties of programs in a domain-specific manner: a notion of *safety* appropriate to non-terminating computations, and *stratified* monotonic reasoning with negation over time. We also provide conservative syntactic checks for our temporal notions of safety and stratification. Our experience implementing full-featured systems in variants of Datalog suggests that **DEDALUS** is well-suited to the specification of rich distributed services and protocols, and provides both cleaner semantics and richer tests of correctness.

Keywords: Datalog, distributed systems, logic programming, temporal logic.

1 Introduction

In recent years, there has been a resurgence of interest in Datalog as the foundation for applied, domain-specific languages in a wide variety of areas, including networking [20], distributed systems [2,5,8], natural language processing [11], robotics [4], compiler analysis [15], security [14,18,32] and computer games [31]. The resulting

languages have been promoted for their compact and natural representations of tasks in their respective domains, in many cases leading to code that is orders of magnitude shorter than equivalent imperative programs. Another stated advantage of these languages is their ability to directly capture intuitive specifications of protocols and programs as executable code.

While most of these efforts were intended to be “declarative” languages, many chose to extend Datalog with operational features natural to their application domain. These operational aspects limit the ability of the language designers to leverage the rich literature on Datalog: program checks such as safety and stratifiability, and optimizations such as magic sets and incremental maintenance of materialized views. In addition, in many of these languages the blend of operational and declarative constructs leads to semantic ambiguities. These aspects are of particular interest to us in the context of networking and other distributed systems, both because we have considerable practical experience with these languages [2,20], and because others have examined the semantic ambiguities of these languages in some depth [23,26].

In this paper we reconsider declarative programming for distributed systems from a model-theoretic perspective. We introduce a declarative language called DEDALUS¹ that enables the specification of rich distributed systems concepts without recourse to operational constructs. DEDALUS is a subset of a language with well-studied features: Datalog enhanced with negation, aggregate functions, choice, and a successor relation. DEDALUS provides a model-theoretic foundation for the two key features of distributed systems: mutable state, and asynchronous processing and communication. We show how these features are captured in DEDALUS via the incorporation of *time* as an attribute of Datalog predicates.

Given the ability to express programs with these two features, we address two important properties of DEDALUS programs: a temporal notion of *safety* appropriate to long-running services and protocols, and *stratified* monotonic reasoning with negation over time. We also provide conservative syntactic checks for our temporal notions of safety and stratification.

We begin by defining DEDALUS₀, a restricted sublanguage of Datalog (Section 2). We show how DEDALUS₀ supports state update in Section 3, and prove temporal safety and stratifiability properties of DEDALUS₀ in Section 4. Finally, we introduce DEDALUS by adding support for asynchrony to DEDALUS₀ in Section 5. Throughout, we demonstrate the expressivity and practical utility of our work with specific examples, including a number of building-block routines from classical distributed computing, such as sequences, queues, distributed clocks, and reliable broadcast. We also discuss the correspondence between DEDALUS and our prior work implementing full-featured distributed services in more operational Datalog variants [2,20].

¹ DEDALUS is intended as a precursor language for **Bloom**, a high-level language for programming distributed systems that will replace Overlog in the **BOOM** project [2]. As such, it is derived from the character Stephen Dedalus in James Joyce’s *Ulysses*, whose dense and precise chapters precede those of the novel’s hero, Leopold Bloom. The character Dedalus, in turn, was partly derived from Daedalus, the greatest of the Greek engineers and father of Icarus. Unlike Overlog, which flew too close to the sun, Dedalus remains firmly grounded.

2 DEDALUS₀

We take as our foundation the language Datalog[¬] [30]: Datalog enhanced with negated subgoals. We will be interested in the classes of syntactically stratifiable and locally stratifiable programs [27], which we revisit below. For conciseness, when we refer to “Datalog” below our intent is to admit negation—i.e., Datalog[¬].

As a matter of notation, we refer to a countably infinite universe of constants C —in which C_1, C_2, \dots are representations of individual constants—and a countably infinite universe of variable symbols $\mathcal{A} = A_1, A_2, \dots$. We will capture time in DEDALUS₀ via an infinite relation successor isomorphic to the successor relation on the integers; for convenience we will in fact refer to the domain \mathbb{Z} when discussing time, though no specific interpretation of the symbols in \mathbb{Z} is intended beyond the fact that $\text{successor}(x, y)$ is true exactly when $y = x + 1$.

2.1 Syntactic Restrictions

DEDALUS₀ is a restricted sublanguage of Datalog. Specifically, we restrict the admissible schemata and the form of rules with the four constraints that follow.

Schema: We require that the final attribute of every DEDALUS₀ predicate range over the domain \mathbb{Z} . In a typical interpretation, DEDALUS₀ programs will use this final attribute to connote a “timestamp,” so we refer to this attribute as the *time suffix* of the corresponding predicate.

Time Suffix: In a well-formed DEDALUS₀ rule, every subgoal must use the same existential variable \mathcal{T} as its time suffix. A well-formed DEDALUS₀ rule must also have a time suffix \mathcal{S} as its rightmost head attribute, which must be constrained in exactly one of the following two ways:

1. The rule is *deductive* if \mathcal{S} is bound to the value \mathcal{T} ; that is, the body contains the subgoal $\mathcal{S} = \mathcal{T}$.
2. The rule is *inductive* if \mathcal{S} is the successor of \mathcal{T} ; that is, the body contains the subgoal $\text{successor}(\mathcal{T}, \mathcal{S})$.

In Section 5, we will define DEDALUS as a superset of DEDALUS₀ and introduce a third kind of rule to capture asynchrony.

Example 1. The following are examples of well-formed deductive and inductive rules, respectively.

deductive: $p(A, B, S) \leftarrow e(A, B, \mathcal{T}), S = \mathcal{T}$;

inductive: $q(A, B, S) \leftarrow e(A, B, \mathcal{T}), \text{successor}(\mathcal{T}, S)$;

Positive and Negative Predicates: For every extensional predicate r in a DEDALUS₀ program P , we add to P two distinguished predicates r_{pos} and r_{neg} with the same schema as r . We define r_{pos} using the following rule:

$$\begin{aligned} r_{\text{pos}}(A_1, A_2, [\dots], A_n, \mathcal{S}) \leftarrow \\ r(A_1, A_2, [\dots], A_n, \mathcal{T}), S = \mathcal{T}; \end{aligned}$$

That is, for every extensional predicate r there is an intensional predicate r_{pos} that contains at least the contents of r . Intuitively, this rule allows extensional facts to serve as ground for r_{pos} , while enabling other rules to derive additional r_{pos} facts.

The predicate r_{pos} may be referenced in the body or head of any DEDALUS_0 rule. We will make use of the predicate r_{neg} later to capture the notion of mutable state; we return to it in Section 3.2. Like r_{pos} , the use of r_{neg} in the heads and bodies of rules is unrestricted.

Guarded EDB: No well-formed DEDALUS_0 rule may involve any extensional predicate, except for a rule of the form above.

2.2 Abbreviated Syntax and Temporal Interpretation

We have been careful to define DEDALUS_0 as a subset of Datalog; this inclusion allows us to take advantage of Datalog’s well-known semantics and the rich literature on the language.

DEDALUS_0 programs are intended to capture temporal semantics. For example, a fact, $p(C_1 \dots C_n, C_{n+1})$, with some constant C_{n+1} in its time suffix can be thought of as a fact that is true “at time C_{n+1} .” Deductive rules can be seen as *instantaneous* statements: their deductions hold for predicates agreeing in the time suffix and describe what is true “for an instant” given what is known at that instant. Inductive rules are *temporal*—their consequents are defined to be true “at a different time” than their antecedents.

To simplify DEDALUS_0 notation for this typical interpretation, we introduce some syntactic “sugar” as follows:

- *Implicit time-suffixes in body predicates:* Since each body predicate of a well-formed rule has an existential variable \mathcal{T} in its time suffix, we optionally omit the time suffix from each body predicate and treat it as implicit.
- *Temporal head annotation:* Since the time suffix in a head predicate may be either equal to \mathcal{T} or equal to \mathcal{T} ’s successor, we omit the time suffix from the head—and its relevant constraints from the body—and instead attach an identifier to the head predicate of each temporal rule, to indicate the change in time suffix. A temporal head predicate is of the form:
 $r(A_1, A_2, [\dots], A_n)@next$
 The identifier $@next$ stands in for $successor(\mathcal{T}, S)$ in the body.
- *Timestamped facts:* For notational consistency, we write the time suffix of facts (which must be given as a constant) outside the predicate. For example:
 $r(A_1, A_2, [\dots], A_n)@C$

Example 2. The following are “sugared” versions of deductive and inductive rules from Example 1, and a temporal fact:

deductive: $p(A, B) \leftarrow e(A, B)$;

inductive: $q(A, B)@next \leftarrow e(A, B)$;

fact: $e(1, 2)@10$;

3 State in Logic

*Time is a device that was invented to keep everything from happening at once.*²

Given our definition of DEDALUS_0 , we now address the persistence and mutability of data across time—one of the two signature features of distributed systems for which we provide a model-theoretic foundation.

The intuition behind DEDALUS_0 's successor relation is that it models the passage of (logical) time. In our discussion, we will say that ground atoms with lower time suffixes occur “before” atoms with higher ones. The constraints we imposed on DEDALUS_0 rules restrict how deductions may be made with respect to time. First, rules may only refer to a single time suffix variable in their body, and hence subgoals *cannot join across different “timesteps.”* Second, rules may specify deductions that occur concurrently with their ground facts or in the next timestep—in DEDALUS_0 , we rule out induction “backwards” in time or “skipping” into the future.

This notion of time allows us to consider the contents of the EDB—and hence a perfect model of the IDB—with respect to an “instant in time”: we simply bind the time suffixes (\mathcal{T}) of all body predicates to a constant. Because this produces a sequence of models (one per timestep), it gives us an intuitive and unambiguous way to declaratively express persistence and state changes across time. In this section, we give examples of language constructs that capture state-oriented motifs such as persistent relations, deletion and update, sequences, and queues.

3.1 Simple Persistence

A fact in predicate p at time \mathcal{T} may provide ground for deductive rules at time \mathcal{T} , as well as ground for deductive rules in timesteps greater than \mathcal{T} , provided there exists a *simple persistence rule* of the form:

$$\text{p_pos}(A_1, A_2, [\dots], A_n)@next \leftarrow \text{p_pos}(A_1, A_2, [\dots], A_n);$$

A simple persistence rule of this form ensures that a p fact true at time i will be true $\forall j \in \mathbb{Z} : j \geq i$.

3.2 Mutable State

To model deletions and updates of a fact, it is necessary to break the induction in a simple persistence rule. Adding a p_neg subgoal to the body of a simple persistence rule accomplishes this:

$$\begin{aligned} \text{p_pos}(A_1, A_2, [\dots], A_n)@next \leftarrow \\ \text{p_pos}(A_1, A_2, [\dots], A_n), \\ \neg \text{p_neg}(A_1, A_2, [\dots], A_n); \end{aligned}$$

If, at any time k , we have a fact $\text{p_neg}(C_1, C_2, [\dots], C_n)@k$, then we do not deduce a $\text{p_pos}(C_1, C_2, [\dots], C_n)@k+1$ fact. Furthermore, we do not deduce a $\text{p_pos}(C_1, C_2, [\dots], C_n)@j$ fact for any $j > k$, unless this p_pos fact is re-derived at some timestep $j > k$ by another rule. This behavior corresponds to the intuition that a persistent fact, once stated, remains true until it is retracted.

² Graffiti on a wall at Cambridge University [1].

Example 3. Consider the following DEDALUS₀ program and ground facts:

```
p_pos(A, B) ← p(A, B);
p_pos(A, B)@next ← p_pos(A, B), ¬p_neg(A, B);

p(1,2)@101;
p(1,3)@102;
p_neg(1,2)@300;
```

The following facts are true: $p(1,2)@200$, $p(1,3)@200$, $p(1,3)@300$. However, $p(1,2)@301$ is false because $p(1,2)$ was “deleted” at timestep 300.

Since mutable persistence occurs frequently in practice, we provide the *persist* macro, which takes three arguments: a predicate name, the name of another predicate to hold “deleted” facts, and the (matching) arity of the two predicates. The macro expands to the corresponding mutable persistence rule. For example, the above `p_pos` persistence rule may be equivalently specified as `persist[p_pos, p_neg, 2]`.

Mutable persistence rules enable *updates*. For some time \mathcal{T} , an update is any pair of facts:

```
p_neg(C1, C2, [...], Cn)@ $\mathcal{T}$ ;
p_pos(D1, D2, [...], Dn)@ $\mathcal{T} + 1$ ;
```

Intuitively, an update represents deleting an old value of a tuple and inserting a new value. Every update is *atomic across timesteps*, meaning that the old value ceases to exist at the same timestep in which the new value is derived—timestep $\mathcal{T} + 1$ in the above definition.

3.3 Sequences

One may represent a database sequence—an object that retains and monotonically increases a counter value—with a pair of inductive rules. One rule increments the current counter value when some condition is true, while the other persists the value of the sequence when the condition is false. We can capture the increase of the sequence value without using arithmetic, because the infinite series of successor has the monotonicity property we require:

```
seq(B)@next ← seq(A), successor(A,B), event(_);
seq(A)@next ← seq(A), ¬event(_);
seq(0);
```

Note that these three rules produce only a single value of `seq` at each timestep, but they do so in a manner slightly different than our standard persistence template.

3.4 Queues

While sequences are useful for imposing an ordering on tuples, programs will in some cases require that tuples are processed in a particular (partial) order associated with specific timesteps. To this end, we introduce a queue template, which employs inductive persistence and aggregate functions in rule heads to process tuples according to a data-dependent order, rather than as a set.

Aggregate functions simplify our discussion of queues. Mumick and Shmueli observe correspondences in the expressivity of Datalog with stratified negation and stratified aggregation functions [25]. Adding aggregation to our language does not affect its expressive power, but is useful for writing natural constructs for distributed computing including queues and ordering.

In DEDALUS_0 we allow aggregate functions to appear in the heads of deductive rules in the form:

$$p(A_1, \dots, A_n, \rho_1(A_{n+1}), \dots, \rho_m(A_{n+m}))$$

In such a rule (whose body must bind A_1, \dots, A_{n+m}), the predicate p contains one row for each satisfying assignment of A_1, \dots, A_n —akin to the distinct “groups” of SQL’s “GROUP BY” notation.

Consider a predicate `priority_queue` that represents a series of tasks to be performed in some predefined order. Its attributes are a string representing a user, a job, and an integer indicating the priority of the job in the queue:

```
priority_queue('bob', 'bash', 200)@123;
priority_queue('eve', 'ls', 1)@123;
priority_queue('alice', 'ssh', 204)@123;
priority_queue('bob', 'ssh', 205)@123;
```

Observe that all the time suffixes are the same. Given this schema, we note that a program would likely want to process `priority_queue` events individually in a data-dependent order, in spite of their coincidence in logical time.

In the program below, we define a table `m_priority_queue` that serves as a queue to feed `priority_queue`. The queue must persist across timesteps because it may take multiple timesteps to drain it. At each timestep, for each value of **A**, a single tuple is projected into `priority_queue` and deleted (atomic with the projection) from `m_priority_queue`, changing the value of the aggregate calculated at the subsequent step:

```
persist[m_priority_queue_pos, m_priority_queue_neg, 3]

omin(A, min<C>) ←
  m_priority_queue(A, _, C);

priority_queue(A, B, C)@next ←
  m_priority_queue(A, B, C),
  omin(A, C);

m_priority_queue_neg(A, B, C) ←
  m_priority_queue(A, B, C),
  omin(A, C);
```

Under such a queueing discipline, deductive rules that depend on `priority_queue` are constrained to consider only min-priority tuples at each timestep per value of the variable **A**, thus implementing a per-user FIFO discipline. To enforce a global FIFO ordering over `priority_queue`, we may redefine `omin` and any dependent rules to exclude the **A** attribute.

A queue establishes a mapping between DEDALUS_0 's timesteps and the priority-ordering attribute of the input relation. By doing so, we take advantage of the monotonic property of timestamps to enforce an ordering property over our input that is otherwise difficult to express in a logic language. We return to this idea in our discussion of temporal “entanglement” in Section 5.5.

4 Stratification and Safety

In the previous section we demonstrated that DEDALUS_0 can capture intuitive notions of persistence and mutability of state via a stylized use of Datalog. However, the alert reader will note that even simple DEDALUS_0 programs make for unusual Datalog: among other concerns, persistence rules produce derivations for an infinite number of values of the time suffix. Traditional Datalog interpreters, which work against static databases, would attempt to enumerate these values, making this approach impractical.

However, in the context of distributed systems and networks, the need for non-terminating “services” or “protocols” is very common. In this section we show that expressing distributed systems properties such as persistence and mutable state in logic does not require dispensing with familiar notions of safety and stratification: we take traditional notions of acceptable Datalog programs, and extend them in a way that admits sensible non-terminating programs.

4.1 Stratification in DEDALUS_0

We first turn our attention to the semantics of programs with negation. As we will see, the inclusion of time enables a syntactic stratification condition for programs, and the existence of a unique model that corresponds to intuition [27].

Lemma 1. *A DEDALUS_0 program without negation has a unique minimal model.*

Proof. A DEDALUS_0 program without negation is a pure Datalog program. Every pure Datalog program has a unique minimal model.

We define syntactic stratification of a DEDALUS_0 program the same way it is defined for a Datalog program:

Definition 1. *A DEDALUS_0 program is syntactically stratifiable if there exists no cycle with a negative edge in the program’s predicate dependency graph.*

We may evaluate such a program in *stratum order* as described in the Datalog literature [30]. It is easy to see that any syntactically stratified DEDALUS_0 instance has a unique perfect model [27] because it is a syntactically stratified Datalog program.

However, many programs we are interested in expressing are not syntactically stratifiable. Fortunately, we are able to define a syntactically checkable notion of *temporal stratifiability* of DEDALUS_0 programs that maps to a subset of locally stratifiable Datalog programs.

Definition 2. *The deductive reduction of a DEDALUS_0 program P is the subset of P consisting of exactly the deductive rules in P .*

Definition 3. *A DEDALUS_0 program is temporally stratifiable if its deductive reduction is syntactically stratifiable.*

Lemma 2. *Any temporally stratifiable DEDALUS_0 instance P has a unique perfect model.*

Proof. Every temporally stratifiable DEDALUS_0 instance is locally stratifiable [27], and thus has a unique perfect model.

Example 4. A simple temporally stratifiable DEDALUS_0 program that is not syntactically stratifiable.

```

persist[p_pos, p_neg, 3]

p_pos(A, B, T) ←
  insert_p(A, B, T);

p_neg(A, B, T) ←
  p_pos(A, B, T),
  delete_p(T);

```

In the DEDALUS_0 program above, *insert_p* and *delete_p* are captured in EDB relations. This reasonable program is unstratifiable because $p_neg > p_neg \wedge p_neg > p_pos$. But because the successor relation is constrained such that $\forall A, B, \text{successor}(A, B) \rightarrow B > A$, any such program is locally stratified on time suffixes. Therefore, we have $p_pos_n \not\prec^+ p_neg_n \not\prec^+ p_pos_{n+1}$; informally, earlier values do not depend on later values.

4.2 Temporal Safety

Next we consider the issue of infinite results raised in the introduction to this section. In traditional Datalog, this concern is well studied. A Datalog program is considered *safe* if it has a finite minimal model, and hence has a finite execution. Safety in Datalog is traditionally ensured through the following syntactic constraints:

1. No functions are allowed.
2. Variables are *range restricted*: all attributes of the head goal appear in a non-negated body subgoal.
3. The EDB is finite.

These constraints ensure that the Herbrand Universe is finite: any atom that may be deduced by a safe program may only take its attributes from the set of all constant symbols appearing in the program and EDB. In fact, the set of all possible assignments of these constants to predicate attributes, representing every possible interpretation, is itself finite.

Since our definition of *successor* violates these rules, and indeed leads to an infinite set of facts, DEDALUS_0 programs violate this definition of safety. However, *successor* models time, not computation; later sections explain how DEDALUS implementations avoid enumerating the contents of *successor* at runtime. This section introduces a notion of termination that allows us to reason about the safety of DEDALUS_0 programs.

A DEDALUS_0 program containing only deductive rules is informally equivalent to a Datalog program in which all predicates have no time suffix. If all the rules in such a program meet the conditions above, then clearly we would like them to meet DEDALUS_0 's definition of safety.

Definition 4. *A rule is instantaneously safe if it is deductive, function-free and range-restricted. A DEDALUS_0 program is instantaneously safe if its deductive reduction is instantaneously safe.*

The successor relation complicates the discussion of safety, as it introduces the countably infinite set \mathbb{Z} to our universe of constants.

Consider the following DEDALUS₀ program, which derives a single, persistent fact:

Example 5. An unsafe DEDALUS₀ instance?
 persist[p_pos, p_neg, 2]
 p(1, 2)@123;

The single ground fact will cause one deduction for each tuple in successor. Since successor is infinite, the corresponding Datalog program is unsafe.

However, observe that each of these deductions produces a tuple that changes only in its time suffix. We find it useful to distinguish between unsafe programs and programs that, given a finite EDB, eventually derive only tuples that are equivalent except in their time suffixes.

Definition 5. Two sets of ground atoms Γ and Γ' are equivalent modulo time if each atom $\gamma \in \Gamma$ has a corresponding atom $\gamma' \in \Gamma'$ such that γ and γ' have the same predicate symbol, and the same assignment of constants to attributes for all attributes except the time suffix.

Definition 6. We say a DEDALUS₀ instance is quiescent at time T if the set of all atoms with time suffix T is equivalent modulo time to the set of all atoms with time suffix $T - 1$.

Lemma 3. A DEDALUS₀ instance that is quiescent at time T will be quiescent until timestamp of the next EDB fact V , i.e. for all $U \in \mathbb{Z} : V > U \geq T$. If no EDB fact has a timestamp greater than T , then the instance will be henceforth quiescent.

Proof. A DEDALUS₀ program admits only deductive and inductive rules, which derive new tuples at the same time as their ground tuples or in the immediate next timestep. Thus, the set of tuples true at time T is completely determined by any tuples true at time $T - 1$, and any EDB facts true at time T . Observe that the integer value of the timestep does not influence the derivation.

If the instance is quiescent at T , then given \mathbf{A} , the set of atoms with timestamp $T - 1$, and the EDB at T , the program entails \mathbf{A} at timestamp T . Thus in the absence of EDB facts at $T + 1$, it entails \mathbf{A} at $T + 1$.

Definition 7. A DEDALUS₀ instance with finite EDB is temporally safe if it is henceforth quiescent after some time T .

Definition 8. Given the depends-on relation $>$ and its transitive closure $>^*$, an intentional predicate e in a program P is called an instantaneous predicate if for every predicate p for which $e >^* p$ (ie, e depends transitively on p), either p appears in the head of no inductive rules, or the body of each inductive rule with head p contains at least one positive instantaneous predicate.

We propose the following conservative test for temporal safety. A program is guaranteed to be temporally safe if every rule is either:

1. An instantaneously safe rule, or
2. An inductive rule in which the head predicate occurs also in the body with the same variable bindings for all attributes save the time suffix, or
3. An inductive rule that has at least one instantaneous predicate as a positive subgoal in the body.

While a temporally safe program is henceforth quiescent after some time T , a temporally unsafe program changes infinitely. Note that the DEDALUS_0 program in Example 5 is temporally safe because the basic persistence macro creates a rule that satisfies the second condition above.

Lemma 4. *A temporally stratifiable DEDALUS_0 instance is temporally safe if it has a finite EDB and every rule is one of the kinds 1-3 above.*

Proof. Assume the program is temporally unsafe. That is, there exists no time T such that $\forall U \geq T$, the set of all atoms with timestamp U is equivalent modulo time to the set of all atoms with timestamp $T - 1$. Let E be the maximum timestamp of any fact in the EDB.

Observe that every rule r of kind 3 may only entail a finite number of facts—as the EDB is finite—and thus may entail no facts at a timestamp greater than some maximum timestamp $V_r \leq E + 1 \in \mathbb{Z}$. Since a DEDALUS_0 program has a finite set of rules we know $\exists V \in \mathbb{Z} : \forall r : V \geq V_r$, and thus $V \leq E + 1$.

We now consider times T such that $T > E + 1$. By the argument above, no rules of kind 3 entail any facts with a timestamp greater than $E + 1$. Recall that no EDB atoms are true at any timestamp greater than E . Thus, any facts with timestamp greater than $E + 1$ must be entailed by rules of kind 1 or 2.

Consider the set of equivalence classes modulo time of all possible atoms, \mathbf{A} , given the Herbrand Universe. We know \mathbf{A} is finite, as the Herbrand Universe is finite. Therefore, if the program is temporally unsafe, then \mathbf{B} , the set of atoms entailed by the program, both contains and excludes infinitely many members of at least one equivalence class in \mathbf{A} (i.e., something “infinitely oscillates in time” between being true and false). Since the program has finitely many rules, at least one rule must entail infinitely many atoms (from at least one of the equivalence classes from \mathbf{A}). Thus, it is easy to see that there must be a cycle that contains some predicate P and $\neg P$.

We show there exists such a cycle containing only rules of kind 1, which implies that the program is temporally unstratifiable. In order for such a cycle to exist, P must transitively depend on $\neg P$, and $\neg P$ must transitively depend on P . Thus, the program contains a rule J_1 with $\neg P$ in its body, and some predicate R in its head, as well as a rule J_2 that is transitively dependent on R , with P in its head.

Case 1: $P \neq R$. In this case, J_1 must be of kind 1, as for any $Q \neq P$, a rule of kind 2 with P in the head may not directly entail Q given P . J_2 must also be of kind 1—if it is of kind 2, then it necessarily contains P in its body, so it cannot entail P unless P is entailed by some other rule. If J_2 contains R in its body, then the program is syntactically unstratifiable. But if J_2 does not contain R in its body, then it contains some predicate S transitively entailed by R ; without loss of generality, the body contains R . Thus, the program is syntactically unstratifiable.

Case 2: $P = R$. In this case, J_1 and J_2 are the same rule: $P \leftarrow \neg P$. Thus, the program is syntactically unstratifiable.

Thus, the program is temporally unstratifiable, which contradicts our assumption.

Example 6. A DEDALUS₀ instance with a temporally unsafe deductive rule.

$$p(A, B) \leftarrow q(A);$$

The program above has a temporally unsafe deductive rule that corresponds to an unsafe rule in Datalog: it is not range-restricted. The head variable B could range over an infinite set of constants.

Example 7. A DEDALUS₀ instance that is temporally unsafe due to infinite oscillation.

$$\begin{aligned} \text{flip_flop}(B, A)@next &\leftarrow \text{flip_flop}(A, B); \\ \text{flip_flop}(0, 1)@1; \end{aligned}$$

The above program exemplifies temporally unsafe induction. Even though it contains no function symbols and all variables are range-restricted, it entails infinite oscillation of the *flip_flop* predicate.

We can imagine interesting examples of temporally unsafe programs, and do not forbid them in DEDALUS₀.

5 Asynchrony

In this section we introduce DEDALUS, a superset of DEDALUS₀ that also admits the *choice* construct [13] to bind time suffixes. Choice allows us to model the inherent nondeterminism in communication over unreliable networks that may delay, lose or reorder the results of logical deductions. We then describe a syntactic convention for rules that model communication between agents, and show how DEDALUS can be used to implement common distributed computing idioms like Lamport clocks and reliable broadcast.

5.1 Choice

An important property of distributed systems is that individual computers cannot control or observe the temporal interleaving of their computations with other computers. One aspect of this uncertainty is captured in network delays: the arrival “time” of messages cannot be directly controlled by either sender or receiver. In this section, we enhance our language with a traditional model of nondeterminism from the literature to capture these issues: the *choice* construct as defined by Greco and Zaniolo [13].

The subgoal $\text{choose}((X_1), (X_2))$ may appear in the body of a rule, where X_1 and X_2 are vectors whose constituent variables occur elsewhere in the body. Such a subgoal enforces the functional dependency $X_1 \rightarrow X_2$, “choosing” a single assignment of values to the variables in X_2 for each variable in X_1 .

The choice construct is nondeterministic. In a model-theoretic interpretation of logic programming, a nondeterministic program must have a multiplicity of *stable models*—that is, it must be unstratifiable. Greco and Zaniolo define choice in precisely this fashion: the choice construct is expanded into an unstratifiable strongly-connected component of rules, and each possible choice is associated with a different model. Each such

model has a unique, non-deterministic assignment that respects the given functional dependencies. In our discussion, it may be helpful to think of one such model chosen non-deterministically—a non-deterministic “assignment of timestamps to tuples.”

5.2 Distribution Model

The choice construct captures the non-determinism of communicating agents in a distributed system, but we want to use it in a stylized way to model typical notions of distribution. To this end, DEDALUS adopts the “horizontal partitioning” convention introduced by Loo et al. [21]. To represent a distributed system, we consider some number of agents, each running a copy of the same program against a disjoint subset (*horizontal partition*) of each predicate’s contents. We require one attribute in each predicate to be used to identify the partitioning for tuples in that predicate. We call such an attribute a *location specifier*, and prefix it with a # symbol in Dedalus.

Finally, we constrain DEDALUS rules in such a way that the location specifier variable in each body predicate is the same—i.e., the body contains tuples from exactly one partition of the database, logically colocated (on a single “machine”). If the head of the rule has the same location specifier variable as the body, we call the rule “local,” since its results can remain on the machine where they are computed. If the head has a different variable in its location specifier, we call the rule a *communication rule*. We now proceed to our model of the asynchrony of this communication, which is captured in a syntactic constraint on the heads of communication rules.

5.3 Asynchronous Rules

In order to represent the nondeterminism introduced by distribution, we admit a third type of rule, called an *asynchronous* rule. A rule is asynchronous if the relationship between the head time suffix \mathcal{S} and the body time suffix \mathcal{T} is unknown. Furthermore, \mathcal{S} (but not \mathcal{T}) may take on the special value \top which means “never.” Derivation at \top indicates that the deduction is “lost,” as time suffixes in rule bodies do not range over \top .

We model network nondeterminism using the choice construct to choose from a value in the special time predicate, which is defined using the following Datalog rules:

```
time( $\top$ );
time( $\mathcal{S}$ )  $\leftarrow$  successor( $\mathcal{S}$ ,  $\_$ );
```

Each asynchronous rule with head predicate $p(A_1, \dots, A_n)$ has the following additional subgoals in its body:

```
time( $\mathcal{S}$ ), choose( $(A_1, \dots, A_n, \mathcal{T}), (\mathcal{S})$ ),
```

where \mathcal{S} is the timestamp of the rule head. Note that our use of *choose* incorporates all variables of each head predicate tuple, which allows a unique choice of \mathcal{S} for each head tuple. We further require that communication rules include the location specifier appearing in the rule body among the functionally-determining attributes of the *choose* predicate, even if it does not occur in the head.

Example 8. A well-formed asynchronous DEDALUS rule:

$$r(A, B, S) \leftarrow \\ e(A, B, \mathcal{T}), \\ \text{time}(S), \\ \text{choose}((A, B, \mathcal{T}), (S));$$

We admit a new temporal head annotation to sugar the rule above. The identifier `async` implies that the rule is asynchronous, and stands in for the additional body predicates. The example above expressed using `async` is:

Example 9. A sugared asynchronous DEDALUS rule:

$$r(A, B)@async \leftarrow e(A, B);$$

5.4 Asynchrony and Distribution in DEDALUS

As noted above, communication rules must be asynchronous. This restricts our model of communication between agents in two important ways. First, by restricting bodies to a single agent, the only communication modeled in DEDALUS occurs via communication rules. Second, because all communication rules are asynchronous, agents may only learn about time values at another agent by receiving messages (with unbounded delay) from that agent. Note that this model says nothing about the relationship between the agents' clocks; they could be non-monotonically increasing, or they could respect a global order.

5.5 Temporal Monotonicity

Nothing in our definition of asynchronous rules prevents tuples in the head of a rule from having a timestamp that precedes the timestamp in the rule's body. This is a significant departure from DEDALUS₀, since it violates the monotonicity assumptions upon which we based our proof of temporal stratification. On an intuitive level, it may also trouble us that rules can derive head tuples that exist "before" the body tuples on which they are grounded; this situation violates intuitive notions of causality and admits the possibility of temporal paradoxes.

We have avoided restricting DEDALUS to rule out such issues, as doing so would reduce its expressiveness. Recall that simple monotonic Datalog (without negation) is insensitive to the values in any particular attribute. Hence DEDALUS programs without negation are also well-defined regardless of any "temporal ordering" of deductions: in monotonic programs, even if tuples with timestamps "in the future" are used to derive tuples "from the past," there is an unambiguous least minimal model. In Section 4.1 we showed that the monotonicity of time suffixes achieved by inductive rules ensures a unique perfect model even for non-monotonic DEDALUS₀ programs.

Practical Implications. Given this discussion, in practice we are interested in three asynchronous scenarios: (a) monotonic programs (even with non-monotonicity in time), (b) non-monotonic programs whose semantics guarantee monotonicity of time suffixes and (c) non-monotonic programs where we have domain knowledge guaranteeing monotonicity of time suffixes. Each represents practical scenarios of interest.

The first category captures the spirit of many simple distributed implementations that are built atop unreliable asynchronous substrates. For example, in some Internet publishing applications (weblogs, online fora), it is possible due to caching or failure that a “thread” of discussion arrives out of order, with responses appearing before the comments they reference. In many cases a monotonic “bag semantics” for the comment program is considered a reasonable interface for readers, and the ability to tolerate temporal anomalies simplifies the challenge of scaling a system through distribution.

The second scenario is achieved in DEDALUS₀ via the use of successor for the time suffix. The asynchronous rules of DEDALUS₀ require additional program logic to guarantee monotonic increases in time for predicates with dependencies. In the literature of distributed computing, this constraint is known as a *causal ordering* and is enforced by distributed clock protocols. We review one classic protocol in the DEDALUS context in Section 5.6; including this protocol into DEDALUS programs ensures temporal monotonicity.

Finally, certain computational substrates guarantee monotonicity in both timestamps and message ordering—for example, some multiprocessor cache coherency protocols provide this property. When temporal monotonicity is given, the proof of temporal stratification applies.

Entanglement. Consider the asynchronous rule below:

$$p(A, B, N)@async \leftarrow q(A, B)@N;$$

Due to the *async* keyword in the rule head, each p tuple will take some unspecified time suffix value. Note however that the time suffix N of the rule body appears also in an attribute of p other than the time suffix, recording a binding of both the time value of the deduction and the time value of its consequence. We call such a binding an *entanglement*. Note that in order to write the rule it was necessary to not sugar away the time suffix in the rule body.

Entanglement is a powerful construct. It allows a rule to reference the logical clock time of the deduction that produced one (or more) of its subgoals; this capability supports protocols that reason about partial ordering of time across machines. More generally, it exposes the infinite successor relation to attributes other than the time suffix, allowing us to express concepts such as infinite sequences.

5.6 Lamport Clocks

Recall that DEDALUS allows program executions to order message timestamps arbitrarily, violating intuitive notions of causality by allowing deductions to “affect the past.” This section explains how to implement Lamport clocks [16] atop DEDALUS, which allows programs to ensure temporal monotonicity by reestablishing a causal order despite derivations that flow backwards through time.

Consider a rule $p(A,B)@async \leftarrow q(A,B)$. By rewriting it to:

```
persist[p_pos, p_neg, 2]
p_wait(A, B, N)@async ← q(A, B)@N;
p_wait(A, B, N)@next ← p_wait(A, B, N)@M, N ≥ M;
p(A, B)@next ← p_wait(A, B, N)@M, N < M;
```

we place the derived tuple in a new relation `p_wait` that stores any tuples that were “sent from the future” with their sending time “entangled”; these tuples stay in the `p_wait` predicate until the point in time at which they were derived. Conceptually, this causes the system to evaluate a potentially large number of timesteps (if N is significantly less than the timestamp of the system when the tuple arrives). However, if the runtime is able to efficiently evaluate timesteps when the database is quiescent, then instead of “waiting” by evaluating timesteps, it will simply increase its logical clock to match that of the sender. In contrast, if the tuple is “sent into the future,” then it is processed using the timestep that receives it.

This manipulation of timesteps and clock values is equivalent to conventional descriptions of Lamport clocks, except that our Lamport clock implementation effectively “advances the clock” by preventing derivations until the clock is sufficiently advanced, by temporarily storing incoming tuples in the `p_wait` relation.

5.7 Reliable Broadcast

Distributed systems cope with unreliable networks by using mechanisms such as broadcast and consensus protocols, timeouts and retries, and often hide the nondeterminism behind these abstractions. DEDALUS supports these notions, achieving encapsulation of nondeterminism while dealing explicitly with the uncertainty in the model. Consider the simple broadcast protocol below:

```
sbcast(#Member, Sender, Message)@async ←
  smessage(#Agent, Sender, Message),
  members(#Agent, Member);

sdeliver(#Member, Sender, Message) ←
  sbcast(#Member, Sender, Message);
```

Assume that `members` is a persistent relation that contains the broadcast membership list. The protocol is straightforward: if a tuple appears in `smessage` (an EDB predicate), then it will be sent to all members (a multicast). The interpretation of the non-deterministic choice implied by the `@async` rule indicates that messaging order and delivery (i.e., finite delay) are not guaranteed.

The program shown below makes use of the multicast primitive provided by the previous program and uses it to implement a basic reliable broadcast using a textbook mechanism [24] that assumes any node that fails to receive a message sent to it has failed. When the broadcast completes, all nodes that have not failed have received the message.

Our simple two-rule broadcast program is augmented with the following rules, so that if a node receives a message, it also multicasts it to every member *before* delivering the message locally:

```
smessage(Agent, Sender, Message) ←
  rmessage(Agent, Sender, Message);

buf_bcast(Sender, Me, Message) ←
  sddeliver(Me, Sender, Message);
```

```

smessage(Me, Sender, Message) ←
  buf_bcast(Sender, Me, Message);

rdeliver(Me, Sender, Message)@next ←
  buf_bcast(Sender, Me, Message);

```

Note that all network communication is initiated by the @async rule from the original simple broadcast. The @next is required in the rdeliver definition in order to prevent nodes from taking actions based upon the broadcast before it is guaranteed to meet the reliability guarantee.

Implementing other disciplines like FIFO and atomic broadcast and consensus are similar exercises, requiring the use of ordered queuing and sequences.

6 Related Work

6.1 Deductive Databases and Updateable State

Many deductive database systems, including LDL [7] and Glue-Nail [10], admit procedural semantics to deal with updates using an assignment primitive. In contrast, languages proposed by Cleary and Liu [9,19,22] retain a purely logical interpretation by admitting temporal extensions into their syntax and interpreting assignment or update as a composite operation across timesteps [19] rather than as a primitive. We follow the approach of Datalog/UT [19] in that we use explicit time suffixes to enforce a stratification condition, but differ in several significant ways. First, we model persistence explicitly in our language, so that like updates, it is specified as a composite operation across timesteps. Partly as a result of this, we are able to enforce stricter constraints on the allowable time suffixes in rules: a program may only specify what deductions are visible in the current timestep, the immediate next timestep, and *some* future timestep, as opposed to the free use of intervals allowed in rules in Liu et al.

U-Datalog [6] addresses updates using syntax annotations that establish different interpretations for the set of updated relations and the IDB, interpreting update atoms as constraints and using constraint logic programming techniques to test for inconsistent derivations. Similarly, Timed Concurrent Constraint Programming (TCCP) [28,29] handles nonmonotonic constructs in a CLP framework by outputting a new (possibly diminished) store and constraint program at each timestep.

Our temporal approach to representing state change most closely resembles the Statalog language [12]. By contrast, our motivation is the logical specification and implementation of distributed systems, and our principal contribution is the use of time to model both local state change and communication over unreliable networks.

Lamport's TLA+ [17] is a language for specifying concurrent systems in terms of constraints over valuations of state and temporal logic that describes admissible transitions. Two distinguishing features of DEDALUS with respect to TLA+ are our minimalist use of temporal constructs (next and async), and our unified treatment of temporal and other attributes of facts; this enables the full literature of Datalog to be applied to both temporal and instantaneous properties of programs.

6.2 Distributed Systems

Significant recent work ([2,5,8,20], etc.) has focused on applying deductive database languages to the problem of specifying and implementing network protocols and distributed systems. Implementing distributed systems entails a data store that changes over time, so any useful implementation of such a language addresses the updateable state issue in some manner. Existing distributed deductive languages such as NDlog and Overlog adopt a *chain of fixpoints* interpretation. Evaluation proceeds in three phases:

1. Input from the external world, including network messages, clock interrupts and host language calls, is collected.
2. Time is frozen, the union of the local store and the batch of events is taken as EDB, and the program is run to fixpoint.
3. The deductions that cause side effects (e.g., deletions, updates, network messages and host language callbacks) are dealt with.

Unfortunately, the language descriptions give no careful specification of how and when deletions and updates should be made visible, so the third step is a “black box.” Loo et al. [20] proved that classes of programs with certain monotonicity properties (i.e., programs without negation or fact deletion) are equivalent (specifically, eventually consistent) when evaluated globally (via a single fixpoint computation) or in a distributed setting in which the *chain of fixpoints* interpretation is applied at each participating node, and no messages are lost. Navarro et al. [26] proposed an alternate syntax that addressed key ambiguities in Overlog, including the *event creation vs. effect* ambiguity. Their solution solves the problem by introducing procedural semantics to the interpretation of the augmented Overlog programs. A similar analysis was offered by Mao [23].

7 Conclusion

Datalog has inspired a variety of recent applied work, which touts the benefits of declarative specifications for practical implementations. We have developed substantial experience building distributed systems [2,3,8,20] using hybrid declarative/imperative languages such as Overlog [20]. While our experience with those languages was largely positive, the combination of Datalog and imperative constructs often clouded our understanding of the “correct” execution of single-node programs that performed state updates. This work developed in large part as a reaction to the semantic difficulties presented by these distributed logic languages.

Through its reification of time as data, DEDALUS allowed us to achieve the goal of a purely declarative language, without sacrificing the ability to express two critical features of practical distributed systems: mutable state and asynchronous communication. We believe that DEDALUS is as expressive as Overlog, but formalizing this intuition is difficult because the semantics of Overlog are not well specified. Instead, we are currently validating the practicality of our work by “porting” many of our Overlog programs to DEDALUS.

In DEDALUS, state update and communication differ from logical deduction only in terms of timing. In the local case, this allows us to express state update without giving

up the clean semantics of Datalog; unlike Datalog extensions that use imperative constructs to provide such functionality, each DEDALUS rule expresses a logical invariant that will hold over all program executions. However, interactions with external processes and asynchronous communication introduce nondeterminism which DEDALUS models with choice. Our hope is that modeling external processes and events with a single primitive will simplify efforts to formally verify the correctness of distributed systems implemented using DEDALUS. Two natural directions in this vein are to determine for a given DEDALUS program whether Church-Rosser confluence holds for all models produced by choice, or to capture finer-grained notions like serializability of such models with respect to transaction identifiers embedded in EDB facts.

Acknowledgments. Ras Bodík and Tyson Condie were intimately involved in discussions surrounding the development of DEDALUS. We are also indebted to Mark Utting and Erik Meijer for conversation and inspiration from their Starlog and LINQ experiences respectively, and to Phil Bernstein for suggestions on future work. Thanks to Kuang Chen and Jesse Trutna for comments on the paper. This work was supported by NSF grants 0917349, 0803690, 0722077, 0713661 and 0435496, Air Force Office of Scientific Research award 22178970-41070-F, the Natural Sciences and Engineering Research Council of Canada, and gifts from Yahoo Research, IBM Research and Microsoft Research.

References

1. Abelson, H., Sussman, G.J. (eds.): Structure and Interpretation of Computer Programs, 2nd edn. McGraw Hill, New York (1996)
2. Alvaro, P., Condie, T., Conway, N., Elmeleegy, K., Hellerstein, J.M., Sears, R.C.: BOOM Analytics: Exploring Data-centric, Declarative Programming for the Cloud. In: EuroSys (2010)
3. Alvaro, P., Condie, T., Conway, N., Hellerstein, J.M., Sears, R.: I Do Declare: Consensus in a logic language. In: NetDB (2009)
4. Ashley-Rollman, M.P., et al.: Declarative programming for modular robots. In: Workshop on Self-Reconfigurable Robots/Systems and Applications (2007)
5. Belaramani, N., Zheng, J., Nayate, A., Soulé, R., Dahlin, M., Grimm, R.: PADS: A policy architecture for distributed storage systems. In: NSDI (2009)
6. Bertino, E., Catania, B., Gori, R.: Enhancing the Expressive Power of the U-Datalog Language. Theory and Practice of Logic Programming 1(1), 105–122 (2001)
7. Chimenti, D., Gamboa, R., Krishnamurthy, R., Naqvi, S., Tsur, S., Zaniolo, C.: The LDL System Prototype. IEEE Trans. on Knowl. and Data Eng. 2(1), 76–90 (1990)
8. Chu, D.C., Popa, L., Tavakoli, A., Hellerstein, J.M., Levis, P., Shenker, S., Stoica, I.: The design and implementation of a declarative sensor network system. In: 5th ACM Conference on Embedded Networked Sensor Systems, SenSys (2007)
9. Cleary, J.G., Utting, M., Clayton, R.: Data Structures Considered Harmful. In: Australasian Workshop on Computational Logic (2000)
10. Derr, M.A., Morishita, S., Phipps, G.: The Glue-Nail Deductive Database System: Design, Implementation, and Evaluation. The VLDB Journal 3, 123–160 (1994)
11. Eisner, J., Goldlust, E., Smith, N.A.: Dyna: a declarative language for implementing dynamic programs. In: Proc. ACL (2004)

12. Georg Lausen, W.M., Ludäscher, B.: On active deductive databases: The statelog approach. In: Kifer, M., Voronkov, A., Freitag, B., Decker, H. (eds.) Dagstuhl Seminar 1997, DYNAMICS 1997, and ILPS-WS 1997. LNCS, vol. 1472, pp. 69–106. Springer, Heidelberg (1998)
13. Greco, S., Zaniolo, C.: Greedy Algorithms in Datalog with Choice and Negation. In: Proceedings of the Joint International Conference and Symposium on Logic Programming, pp. 294–309 (1998)
14. Jim, T.: Sd3: A trust management system with certified evaluation. In: IEEE Symposium on Security and Privacy, pp. 106–115 (2001)
15. Lam, M.S., Whaley, J., Livshits, V.B., Martin, M.C., Avots, D., Carbin, M., Unkel, C.: Context-sensitive program analysis as database queries. In: PODS (2005)
16. Lamport, L.: Time, Clocks, and the Ordering of Events in a Distributed System. *Communications of the ACM* 21(7), 558–565 (1978)
17. Lamport, L.: The temporal logic of actions. *ACM Toplas* 16(3), 872–923 (1994)
18. Li, N., Mitchell, J.: Datalog with constraints: A foundation for trust-management languages. In: Dahl, V. (ed.) PADL 2003. LNCS, vol. 2562, pp. 58–73. Springer, Heidelberg (2002)
19. Liu, M., Cleary, J.: Declarative Updates in Deductive Databases. *Journal of Computing and Information* 1, 1435–1446 (1994)
20. Loo, B.T., Condie, T., Garofalakis, M., Gay, D.E., Hellerstein, J.M., Maniatis, P., Ramakrishnan, R., Roscoe, T., Stoica, I.: Declarative Networking. *Communications of the ACM* 52(11), 87–95 (2009)
21. Loo, B.T., Hellerstein, J.M., Stoica, I., Ramakrishnan, R.: Declarative routing: Extensible routing with declarative queries. In: SIGCOMM (2005)
22. Lu, L., Cleary, J.G.: An Operational Semantics of Starlog. In: Nadathur, G. (ed.) PPDP 1999. LNCS, vol. 1702, pp. 131–162. Springer, Heidelberg (1999)
23. Mao, Y.: On the declarativity of declarative networking. In: NetDB (2009)
24. Mullender, S. (ed.): *Distributed Systems*, 2nd edn. Addison-Wesley, Reading (1993)
25. Mumick, I.S., Shmueli, O.: How expressive is stratified aggregation? *Annals of Mathematics and Artificial Intelligence* 15(3-4), 407–435 (1995)
26. Navarro, J.A., Rybalchenko, A.: Operational Semantics for Declarative Networking. In: Gill, A., Swift, T. (eds.) PADL 2009. LNCS, vol. 5418, pp. 76–90. Springer, Heidelberg (2008)
27. Przymusiński, T.C.: On the Declarative Semantics of Deductive Databases and Logic Programs. In: Minker, J. (ed.) *Foundations of Deductive Databases and Logic Programming*, pp. 193–216. Morgan Kaufmann, Los Altos (1988)
28. Saraswat, V., Jagadeesan, R., Gupta, V.: Timed Default Concurrent Constraint Programming. *Journal of Symbolic Computation* 22(5-6), 475–520 (1996)
29. Saraswat, V.A., Jagadeesan, R., Gupta, V.: Foundations of Timed Concurrent Constraint Programming. In: LICS, pp. 71–80 (1994)
30. Ullman, J.D.: *Principles of Database and Knowledge-Base Systems. The New Technologies*, vol. II. W. H. Freeman & Co., New York (1990)
31. White, W., et al.: Scaling games to epic proportions. In: SIGMOD (2007)
32. Zhou, W., Mao, Y., Loo, B.T., Abadi, M.: Unified declarative platform for secure networked information systems. In: ICDE, pp. 150–161 (2009)